
drape






The perfect get-away space The highly effective sound-absorbing panels reduce noise in open offices, giving you a quiet environment you need to focus on your task. The panels also prevent inside sounds from leaking.

Distraction-blocking panels to enhance workers' focus






The slim profile panels are only 1 3/16" thick. The core of these panels have glass wool insulation for excellent sound absorption. The clean and straightforward design creates mini-environments for focus throughout the office while also adding aesthetic interest points and color to the workplace.


NRC Value - 0.70 'Noise Reduction Coefficient SAA Value - 0.68 'Sound Absorption Average Note: Results are of the Felt applied panel. Value varies according to cover fabric.

The measurement results comprise materials evaluations for panel units, and do not guarantee actual sound absorption effects. The measurement results comprise materials evaluations for panel un ASTM E84 - Class A
Note: Results are of the Felt applied panel and Interlock applied panel.



Creative Geometric Configurations

"Tri" is the standard configuration consisting of three panels, perpendicular to each to make a U-shape. "Tetra" and "Penta" have an additional short panel that sits at a 120 degree angle at the entrance for an added level of privacy. A myriad of configurations are possible with your creativity.





TRI

Function





Line Up



Tri

4WA11CN

4WA11EN

4WA21AN 4WA21BN



It is only possible to see inside the booth from one angle (3), ensuring you get the privacy you need to concentrate and focus.

Tabletop H 28 3/8"



2 Tetra's small panel behind the user prevents others from looking inside, giving the user a feeling of security.

Tabletop H 39 3/8"

Left

4WA12EN 4WA12FN

4WA21BN | 4WA21AN | 4WA21BN | 4WA21AN | 4WA21BN | 4WA23AN | 4WA23BN

Tetra



The Tri requires less than 40"×40" of floor space, a footprint similar to four carpet tiles.

Left

4WA11EN

Tri

Left

4WA12DN

4WA12FN

The code for the left type and right type of Tri and Penta is the same. Variation with 75 9/16" high panels would need lighting on the desk or from the ceiling. We recommend using a non-swivel chair for Tetra and Penta.

<Common specifications>Panel: Sheet metal with levelers, Surface: Fabric or Felt, Sound absorbent material: Glass-wool, Tabletop: Laminated work surface, Wire management tray: Powder coated steel

4WA12CN

4WA12EN

4WA21AN



and legroom.

1 When inside the booth, the

user sits facing the inside corner, cutting visual interference from outside. The diagonally cut tabletop also secures ample workspace

The slim profile panels are only 1 3/16" thick and features an edge profile cut at a 60 degree angle. The twotoned panels create sharp visual.

Penta

Right

Left

4WA13EN

Options

■ Power Accessory





A power unit can be attached underneath the tabletop at your preferred location.

Configuration		Color	Code
8 " :	2 Power 1 Dual USB charger w/72'' 90 degree plug cord	Black	MMD3BA-Y708
		White	MMD3BA -Y707
V V 2	3 Power w/72'' 90 degree plug cord	Black	MMD3BB-Y708
		White	MMD3BB -Y707

Configuration		Color	Code
	2 10W USB A Ports w/72" power supply cord with a barrel connector	Black	MMD2CA -Y708
		White	MMD2CA -Y707
	10W USB A Port 15W USB C Port w/72" power supply cord with a barrel connector	Black	MMD2CB -Y708
		White	MMD2CB -Y707

There is a 1/2" gap between the bottom of the panel and the floor allowing enough room for a cable to pass through.

■Wall Light






The optional lighting is soft on the eyes yet strong enough to aid your work. The wall light is available with downlight only or with both uplight and downlight

ZA75 (Neo White), ZK25 (Black)

ighting	Uplight & Downlight kit (Daisy-chained)	4WAZYYN -Y647	*Please prepare a power outlet be-	
Fixture	Downlight kit (Stand-alone)	4WAZZYN -Y647	low the tabletop.	
Bracket -	For Tri/Tetra 4WA91AN -ZA75、ZK25		*For North Amer-	
	For Penta	4WA91CN -ZA75、ZK25	ican Market Only	

<Common specifications > Bracket : Powder coated steel, Vertical wiring duct : Powder coated steel

■ Vertical Wiring Duct







6


For Tri/Tetra	28 3/8" H	4WAY1YN -Z606	
	39 3/8" H	4WAY2YN- Z606	
For Penta	39 3/8" H	4WAY3YN-Z606	


<Common specifications > Vertical wiring duct : Powder coated steel

Measurements









Colors

Pane

■ Panel (Combination)

Panel Height Tabletop Height

Tabletop

Orientation

Code

Tabletop - Code

59 13/16"H

75 9/16"H

Felt (Two-tone)



■ Tabletop (Combination)

Tabletop (Combination)					
Tabletop	MG99	MX61*	MX62*	MX63*	*
Edge					ŗ
Bracket/Foot	Tabletop : MG07 (White) Edge : G939 (White)		Tabletop: MX52(Prize Wood Medium) Edge: GE22(Prize Wood Medium)	Tabletop: MX53(Prize Wood Dark) Edge: GE23(Prize Wood Dark)	
ZK25 (Black)	MHE6	MHV3	MHV4	MHV5	

*Anti - fingerprint laminate surface provides resistance to fingerprints and easily wipes clean.

5

^{*}For North American Market Only

okamura